



ריהוט משרדי ומחיצות בחלל הפתוח

ריהוט מעבדה וארונות HPL

ריהוט תעשייתי ומערכות רב-תא

מעטפת חדר נקי

דלתות אטומות ללחצים, באזורים נקיים

וילונות פוליסים, וילונות הגנת לייזר

מחיצות מתקפלות

מחיצות מחליקות

ריחות
מחיצות וריהוט בע"מ

ספק משרד הבטחון
11027754



קצת עלינו...

חברת רינות מחיצות וריהוט בע"מ

פעילה משנת 1976

רינות מתמחה בפיתוח, תכנון,

ייצור והתקנה של מערכות אלומיניום

משולבות בחומרים שונים.


תחומי הפעילות העיקריים:

- ריהוט משרדי ומחיצות Open space
- ריהוט מעבדות, אדריכלות נקייה, מחיצות בין מיטות
- ריהוט תעשייתי איכותי מבית FAMEPLA איטליה

ריהוט תעשייתי מערכות רב תא



FAMEPLA



Part. No.
99-85427-04
Storage system with 3 drawers-
without UNIBOX
with UNIBOX Light grey RAL 7035
Fittings:
30 x UNIBOX 6 compartments
40 x UNIBOX 5 compartments

רונת
חומות וריסת מעין



FAMEPLA



Art. No.: 99-85427-04
WORKBENCHES
3 drawers - 2000 mm
Color: RAL 5015

INFO AND TECHNICAL SHEET

Multiple workbenches system with 3 drawers (load capacity of 400 kg). Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

Customer loading capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg. Capacity of 100 kg.

רונת
חומות וריסת מעין

ריהוט מעבדה



■ שולחנות מעבדה

רגלי מתכת או אלומיניום

■ משטחי עבודה

פורמייקה אנטיסטטית

HPL

TOPLAB

ריהוט מעבדה



dip
TECH®



Valtech

רינות
מחיצות וריהוט בע"מ

מעטפת חדר נקי

- פילוס מדויק, חפיפת אלמנטים וחומרים ליצירת אטימות וניקיון
- תליית רשת התקרה בהתחשב בגורמים קונסטרוקטיביים
- רשת התקרה פרופיל T-BAR בגדלים מתאימים
- בלנקים מחומרים שונים – לוח כוורת, פח צבוע בתנור ו-HPL





דלתות רינות 5000

אטימה מירבית לשמירת לחצים

- הדלת עומדת בדרישות חדר נקי
- פרופיל מותאם - בודד / כפול
- מילוי הדלת לפי דרישה – זכוכית / לוח כוורת / HPL
- אטמים עשויים סנטופרן
- גיליוטינה אקטיבית
- חיגור חשמלי



וילונות לחדר נקי




וילון PVC אנטיסטטי



וילון מגן קרינת לייזר


פרוייקט חדר נקי



epitomee
shaping your health

רינות
מחיצות וריהוט בע"מ

מחיצות הפרדה מודולריות למניעת זיהומים בחדרי אשפוז



מחיצות הפרדה רב-מפרקיות בחדרי אשפוז צרים



מחיצה מתקפלת חלקית




מחיצה לפתיחה מלאה עם תריס פנימי




מחיצה ניידת קיפולית

מחיצות Open-Space וריהוט משרדי

- מחיצות אופן ספייס מאפשרות התאמה מלאה לצרכי הלקוח
- צוות מכירות מקצועי, המלווה את העבודה משלב התכנון ועד לשביעות רצון הלקוח.



מערך עבודה בחלל הפתוח



better place 

רינות
מחיצות וריהוט בע"מ

ניצול מירבי של שטחים



מחיצות גבוהות

- חומרי מילוי שונים: זכוכית HPL, פורמייקה, בד ואורגניק
- פתרונות עיצוב מגוונים
- סגירה אקוסטית בחלל גדול
- אפשרות לחלונות ודלתות



מחיצות אקוסטיות מחלקות







מערך Open Space וריהוט משרדי



ריהוט תעשייתי – עמדות עבודה



מכירות:

ריהוט משרדי, מחיצות וריהוט מעבדה

עמית סטפנסקי: 054-2325-987

חדרים נקיים ודלתות

אורן ליברמן: 050-400-7028

וילונות לחדרים נקיים

רותם רינות-טקה: 054-2325-963

ריהוט תעשייתי, מערכות רב-תא

שי אביב: 054-4984-990

